



Decora Italian Design

Bringing Italian decorative heritage to the World

Decora manufactures Italian made decorative finishes such as genuine lime plasters, metallic paints and Micro-cement.

Distributing World Wide.

THE ART OF DECORATION

INIDEV	
INDEX	
INCANTO #D001	5 5
ISPEGU #D002 CANOVA #D003	6
CARRARA #D003	6
TESEO #D005	7
TATTO #D006	7
LUCE #D007	8
TADELAKT #D008	8
INTO CALCE FINE #D009F	9
INTO CALCE MEDIUM #D009M	9
LIME PAINT #D010	10
NATURAL WAX #D011	12
SAPONE DI MARSIGLIA #D012	12
MINERAL PRIMER #D013	13
DOC PRIMER #D014	13
IDRO SEALER #D015	14
METAL WAX #D016	15
MIDA ADHESIVE #D017	16
MIDA SEALER #D019 MIDA FOIL #D018	16
MICA #D020	17 18
ERA #D030	19
SPACE #D031	20
INFINITY #D032	21
ARROW #D025	22
ONE PRIMER #D024	24
DECORA FLOOR LEVEL #D023	25
DECORA DIAMOND FLOOR #D021	26
DECORA DIAMOND FLOOR FINE #D025	26
DECORA DIAMOND SEALER #D022	27
TOOLS	
STILMIRROR ONE #2107-DAC	29
ELITE PRO #2609-DAC	30
STILRABB #2105-DAC	31
SPATOLA #65-DAC	32







TEXTURED GENUINE SLAKED LIME FINISH

DESCRIPTION

INCANTO is unique composition allows the applicator to create textured and wavy effects, even with high thickness. Its a textured plaster made from genuine finely filtered aged slaked lime, marble aggregates, natural fibers, fillers, and binders. It has an excellent filling power, and a natural resistance to mold and bacteria.

INCANTO is suitable for interior surfaces. Perfectly stable over time, it maintains the breathability of the substrate thanks to its outstanding water vapor permeability.

INCANTO is supplied in white color (BIANCO). To tint INCANTO, use oxide based pigments or any other limestable (alkali resistant) colorant.





Stainless steel trowel, decorative tools, sponge



1 - 2 coats



1.5 - 2.5 kg/m² (0.14 - 0.23 kg/ft²)

Packaging	Minimum Quantity
D001/20 20 kg(44 lb)	1 piece
D001/01 1 kg(2.2 lb)	4 pieces



ISPEGU #D002

HIGH-GLOSS GENUINE SLAKED LIME FINISH

DESCRIPTION

ISPEGU traditionally finished to high gloss, is easy to use and resists peeling when polishing or burnishing. Its unique composition allows the applicator to create smooth marble-look and high-gloss surfaces. is a plaster material made from genuine finely filtered aged slaked lime finish, with natural fillers, and selected binders. It has an excellent filling power, and a natural resistance to mold and bacteria.

ISPEGU is suitable for interior surfaces. Perfectly stable over time, it maintains the breathability of the substrate thanks to its outstanding water vapor permeability. Its unique composition allows the applicator to create marblelook smooth and high-gloss surfaces.



ISPEGU is supplied in white color (BIANCO). To tint ISPEGU, use oxide based pigments or any other limestable (alkali resistant) colorant.



Stainless steel trowel



3 coats



0.8 - 1.0 kg/m² (0.07 - 0.09 kg/ft²)

Packaging Minimum Quantity

D002/20 20 kg(44 lb)

1 piece

D002/01 1 kg(2.2 lb)





SEMI-GLOSS SLAKED LIME MARMORINO FINISH

DESCRIPTION


CANOVA is a traditional marmorino who's composition allows the applicator to create smooth and semigloss surfaces. Its a coarse grain plaster made from genuine finely filtered aged slaked lime, marble aggregates, fine quartz sand, fillers, and binders. It has an excellent filling power, and a natural resistance to mold and bacteria.

CANOVA is suitable for interior and exterior surfaces. Perfectly stable over time, it maintains the breathability of the substrate thanks to its outstanding water vapor permeability. Its unique composition allows the applicator to create smooth and semigloss surfaces.



CANOVA is supplied in white color (BIANCO). To tint CANOVA, use oxide based pigments or any other limestable (alkali resistant) colorant.







2 coats



1.7 - 2.0 kg/m² (0.16 - 0.18 kg/ft²)

D003/20 20 kg(44 lb)

1 piece

D003/01 1 kg(2.2 lb)

4 pieces



CARRARA #D004

SEMI-GLOSS SLAKED LIME FINISH - FLAT FINISH

DESCRIPTION

CARRARA is unique composition allows the applicator to create ultra smooth surfaces with a semigloss finish. Its a medium grain plaster made from genuine finely filtered aged slaked lime, marble aggregates, fillers and binders. It has an excellent filling power, and a natural resistance to mold and bacteria.

CARRARA is suitable for interior surfaces. Perfectly stable over time, it maintains the breathability of the substrate thanks to its outstanding water vapor permeability. Its unique composition allows the applicator to create smooth and semigloss surfaces.



 $CARRARA\ is\ supplied\ in\ white\ color\ (BIANCO). To\ tint\ CARRARA\ ,\ use\ oxide\ based\ pigments\ or\ any\ other\ limestable\ (alkali\ resistant)\ colorant.$



Stainless steel trowel, decorative tools, sponge



2 coats



1.4 - 1.7 kg/m² (0.13 - 0.15 kg/ft²)

Packaging Minimum Quantity

D004/20 20 kg(44 lb)

1 piece

D004/01 1 kg(2.2 lb)





TRAVERTINE LOOK SLAKED LIME FINISH

DESCRIPTION

TESEO is unique composition allows the applicator to create textured and scratched surfaces similar to travertine marble. Its a plaster material made from genuine finely filtered aged slaked lime, marble aggregates, natural fibers, fillers, and binders. It has an excellent filling power, and a natural resistance to mold and bacteria.

TESEO is suitable for interior and exterior surfaces. Perfectly stable over time, it maintains the breathability of the substrate thanks to its outstanding water vapor permeability. Its unique composition allows the applicator to create textured and scratched surfaces similar to Travertine marble.



TESEO is supplied in white color (BIANCO). To tint TESEO, use oxide based pigments or any other limestable (alkali resistant) colorant.



Stainless steel trowel, decorative tools, sponge



2 coats



1.7 - 2.0 kg/m² (0.16 - 0.18 kg/ft²)

Packaging	Minimum Quantity

D005/20 20 kg(44 lb)

1 piece

D005/01 1 kg(2.2 lb)

4 pieces



TATTO #D006

VELVET - TOUCH SATIN SLAKED LIME FINISH

DESCRIPTION

TATTO is a plaster material made from genuine finely filtered aged slaked lime, marble aggregates, quartz sand, fillers, and binders. It has an excellent filling power, and a natural resistance to mold and bacteria.

TATTO is suitable for interior surfaces. Its unique composition allows the applicator to create satin and velvet touch surfaces. Perfectly stable over time, it maintains the breathability of the substrate thanks to its outstanding water vapor permeability.



TATTO is supplied in white color (BIANCO). To tint TATTO, use oxide based pigments or any other limestable (alkali resistant) colorant.



Stainless steel trowel, decorative tools, sponge



2 coats



1.5 - 1.8 kg/m² (0.16 - 0.18 kg/ft²)

Packaging

D006/20 20 kg(44 lb)

1 piece

Minimum Quantity

D006/01 1 kg(2.2 lb)





METALLIC & SATIN SLAKED LIME FINISH

DESCRIPTION


LUCE is unique composition allows the applicator to create satin and smooth surfaces, with a subtle metallic sheen. Its a plaster made from genuine finely filtered aged slaked lime, marble aggregates, shiny quartz sand, fillers, and binders. It has an excellent filling power, and a natural resistance to mold and bacteria.

LUCE is suitable for interior surfaces. Perfectly stable over time, it maintains the breathability of the substrate thanks to its outstanding water vapor permeability.



LUCE is supplied in white color (BIANCO). To tint LUCE, use oxide based pigments or any other limestable (alkali resistant) colorant.







2 coats



1.5 - 1.8 kg/m² (0.14 - 0.16 kg/ft²)

Packaging	Minimum Quantity
D007/20 20 kg(44 lb)	1 piece
D007/01 1 kg(2.2 lb)	4 pieces



TADELAKT #D008

MOROCCAN TRADITIONAL HYDRAULIC LIME FINISH

DESCRIPTION

TADELAKT is a typical Moroccan plaster finish obtained with genuine finely filtered aged hydraulic lime, calcareous aggregates, clays, and special binders. It has an excellent filling power, and a natural resistance to mold and bacteria.

TADELAKT is suitable for interior and exterior surfaces, especially in humid environment. Perfectly stable over time, it maintains the breathability of the substrate thanks to its outstanding water vapor permeability. The finish is lightly textured but smooth and matt.



TADELAKT is supplied in white color (BIANCO). To tint TADELAKT, use oxide based pigments or any other limestable (alkali resistant) colorant.



Stainless steel trowel, decorative tools, sponge



Add water and mix



2 coats



1.7 - 2.0 kg/m² (0.16 - 0.18 kg/ft²)

Packaging Minimum Quantity

D008/16 16 kg(35 lb)



INTO CALCE FINE #D009F



SLAKED LIME FINE MORTAR - 0.7 mm

DESCRIPTION


INTO CALCE FINE is a fine grain (0,7mm) lime based mortar obtained from genuine filtered aged slaked lime, marble aggregates, fillers, and binders. It has an excellent filling power, and a natural resistance to mold and bacteria. INTO CALCE FINE can be used as a prep coat for lime-based plaster to reduce the roughness of the support and grant an ideal anchor, or as a finishing itself, matt and rough.



INTO CALCE FINE is suitable for interior and exterior surfaces. Perfectly stable over time, it maintains the breathability of the substrate thanks to its outstanding water vapor permeability.

INTO CALCE FINE is supplied in white color (BIANCO). To tint INTO CALCE FINE, use oxide-based pigments or any other lime-stable (alkali resistant) colorant.









1.4 - 1.6 kg/m² (0.14 - 0.16 kg/ft²)

Packaging

Minimum Quantity

D009/25F 25 kg(55 lb)

1 piece



INTO CALCE MEDIUM #D009M

SLAKED LIME FINE MORTAR - 1.4 mm

DESCRIPTION

INTO CALCE MEDIUM is a medium grain (1,4mm) lime based mortar obtained from genuine filtered aged slaked lime, marble aggregates, fillers, and binders. It has an excellent filling power, and a natural resistance to mold and bacteria. INTO CALCE MEDIUM can be used as a prep coat for lime-based plaster to reduce the roughness of the support and grant an ideal anchor, or as a finishing itself, matt and rough.



INTO CALCE MEDIUM is suitable for interior and exterior surfaces. Perfectly stable over time, it maintains the breathability of the substrate thanks to its outstanding water vapor permeability.

INTO CALCE MEDIUM is supplied in white color (BIANCO). To tint INTO CALCE MEDIUM, use oxide-based pigments or any other lime-stable (alkali resistant) colorant.





1 coats



1.4 - 1.6 kg/m² (0.14 - 0.16 kg/ft²)

Packaging

Minimum Quantity

D009/25M 25 kg(55 lb)



SLAKED LIME PAINT

DESCRIPTION

LIME PAINT is a lime-based paint obtained from genuine filtered aged slaked lime, natural inerts, fillers, and special water resistant additives. It has a natural resistance to mold and bacteria.

LIME PAINT is suitable for interior and exterior surfaces. Perfectly stable over time, it maintains the breathability of the substrate thanks to its outstanding water vapor permeability.

LIME PAINT is supplied in white color (BIANCO).

To tint LIME PAINT, use oxide based pigments or any other lime-stable (alkali resistant) colorant.





Brush or short hair roller



Dilute with water




2 coats



0.3 – 0.4 kg/m² (0.03 - 0.034 kg/ft²)

Packaging	Minimum Quantity
D010/14 14lt	4 pieces







LIME FINISHES TOPCOAT

DESCRIPTION

NATURAL WAX is a water based anti-dirt protector suitable for smooth lime based finishes (Venetian plasters and Marmorino of all grain size).

NATURAL WAX is based on genuine bee's wax, Marseille's soap, emollients, and special additives. Its purpose is to protect and allow the cleaning of the surface, enhance the finish sheen, maintaining its breathability.



NATURAL WAX is suitable as a top-coat of internal surfaces.







1 coats	33 - 50 ml/ı
	(3 - 5 ml/ft

Packaging	Minimum Quantity
-----------	------------------

D011/05 5 lt(1.32 gal)

D011/01 1 lt(0.264 gal)

4 pieces

1 piece



SAPONE DI MARSIGLIA #D012

LIME FINISHES TOPCOAT

DESCRIPTION

SAPONE DI MARSIGLIA is a water based anti-dirt protector suitable for smooth lime based finishes (Venetian plasters and Marmorino of all grain size).

SAPONE DI MARSIGLIA is based on genuine Marseille's soap, emollients, and special additives. Its purpose is to protect and allow the cleaning of the surface, maintaining its breathability.



SAPONE DI MARSIGLIA is suitable as a top-coat for internal surfaces.







40 - 50 g/m² (3.7 - 4.7 g/ft²)

Packaging Minimum Quantity

D012/01 1 kg(2.2 lb)



MINERAL PRIMER #D01



PRIMER FOR LIME BASED FINISHES

DESCRIPTION

MINERAL PRIMER is a water-based primer suitable for all kind of lime based plaster finishes.

A proper surface preparation is mandatory for a good result of the finish. The composition of MINERAL PRIMER is composed of based on fine quartz sand, acrylic co-polymers and special additives, allows the adhesion on every surface. Its rough structure eases the application of the first coat of the plaster.



MINERAL PRIMER is suitable for interior and exterior surfaces.



Brush or short hair roller



Dilute with water



1 coate



140 - 200 g/m² (10 - 20 g/ft²)

Packaging

Minimum Quantity

D013/05 5 kg(11 lb)

1 piece



DOC PRIMER #D014

FIXATIVE WITH NANO-STRUCTURED POLYMERS FOR INTERIOR AND EXTERIOR APPLICATION

DESCRIPTION

DOC PRIMER is a water-born penetrating and consolidating fixative, based on special nano-structured polymers, suitable for preliminary treatment of old, uncoherent and absorbent mineral surfaces.

DOC PRIMER is suitable for interior and exterior surfaces. It improves cohesion and absorption of the support, creating the ideal anchor and insulation from the alkaline environment.

DOC PRIMER can be applied over all kind of surfaces. If new, just one direct coat, if old and dirty, a good brushing and cleaning is priory required. In case of old and sealed surface, it's mandatory to sand the surface, clean and apply DOC PRIMER once completely dry.



Brush, Roller or spray



Dilute with water



1 - 2 coats



Lime based surface: 8 - 10 m²/lt (86 - 108 ft²/lt). Other: 15 - 18 m²/lt (161 - 193 ft²/lt)

Packaging

Minimum Quantity

D014/05 5 lt(1.32 gal)



WATER REPELLENT TOPCOAT FOR INTERIOR AND EXTERIOR APPLICATION

DESCRIPTION

IDRO SEALER is a clear penetrating water-born water/oil repellent topcoat, based on special acrylic and polyurethane polymers, suitable for the treatment of interior and exterior surfaces, under any environmental conditions.

IDRO SEALER can be applied to any kind of mineral support, including bare concrete, reinforced and cellular concrete, sandy or calcareous stone, bricks and lime plasters.

IDRO SEALER is not recommended on old paint and organic coatings, unabsorbent supports (polished marble and granite) and gypsum.









* Average: 250 - 400 ml/m² (20 - 40 ml/ft²) * For more information please refer to the technical data sheet

Packaging	Minimum Quantity
D015/10 10 lt (2.64 gal)	1 piece
D015/05 5 lt(1.32 gal)	1 piece





METALLICA BEE'S WAX FOR LIME BASE FINISHES

DESCRIPTION

METAL WAX is a water based decorative topcoat suitable for smooth lime based finishes (Venetian plasters and Marmorino of all grain size).

METAL WAX is based on genuine bee's wax, Marseille's soap, emollients, and extra fine metallic powder. It's available in 4 different colors: GOLD, SILVER (tintable), COPPER, BRONZE.

METAL WAX is suitable as a top-coat of internal surfaces.









Lime based surface: 8 - 10 m²/lt (86 - 108 ft²/lt). Other: 15 - 18 m²/lt (161 - 193 ft²/lt)

Packaging	Minimum Quantity
D016/008G Gold 800 gr (1.7 lb)	4 pieces
D016/008C Copper 800 gr (1.7 lb)	4 pieces
D016/008S Silver 800 gr (1.7 lb)	4 pieces
D016/008B Bronze 800 gr (1.7 lb)	4 pieces











MIDA ADHESIVE #D017



ADHESIVE EMULSION FOR MIDA FOIL

DESCRIPTION

MIDA ADHESIVE is a concentrated liquid adhesive, in aqueous emulsion, specially formulated for MIDA SYSTEM.

MIDA ADHESIVE is a blend of synthetic rubbers, resins and cross-linking agents. It prepares the surface forming a film with high adhesiveness, excellent resistance to temperatures and outstanding chemical and mechanical resistance.









Packaging Minimum Quantity

D017/01 1 lt(0.26 gal)

4 pieces



MIDA SEALER #D019

WATER REPELLENT TOPCOAT FOR INTERIOR AND EXTERIOR APPLICATION

DESCRIPTION

MIDA SEALER is a water based self-linking acrylic varnish to protect MIDA FOIL application.

With its high transparency, excellent resistance and a blocking effect, MIDA SEALER protects the treated surface, forming a transparent and strong film.





Dilute with water





Packaging

Minimum Quantity

4 pieces

D019/01 1 lt (0.26 gal)





LAMINATED FOIL FOR LIQUID METAL EFFECT

DESCRIPTION

MIDA FOIL is a laminated sheet designed to give a liquid metal effect to smooth and textured lime based finishes.

 $\overline{MIDA}\ FOIL$ is made of polypropylene and available in 5 options: GOLD, SILVER, BRONZE, COPPER, GUN METAL GREY.







Packaging	Minimum Quantity
D018/61G Gold 15cm x 61m	2 pieces
D018/61C Copper 15cm x 61m	2 pieces
D018/61S Silver 15cm x 61m	2 pieces
D018/61B Bronze 15cm x 61m	2 pieces
D018/61GMG Gun Metal Gray 15cm x 61m	2 pieces















MICA ADDITIVE FOR LIME BASED FINISHES

DESCRIPTION

MICA is a synthetic mica (fluorphlogopite) additive for lime-based finishes.

MICA has an outstanding resistance to lime environment thanks to the high chemical stability. MICA is available in 3 options: GOLD, SILVER, BRONZE.

MICA can be used on any lime-based plaster to give a glittering effect.



mix with a mechanically mix for about 2 minutes



0.2 kg/0.4 lb for 20 kg/44 lb per bucket

Packaging	Minimum Quantity
D020/002G Gold 0.2 kg (0.44lb)	2 pieces
D020/002S Silver 0.2 kg (0.44lb)	2 pieces
D020/002B Bronze 0.2 kg (0.44lb)	2 pieces











DESCRIPTION

ERA eco-friendly formulation improves interior living comfort, granting energy saving throughout the year, in keeping with an aesthetic hint and a modern taste.

ERA is a metallic paint based on terpolyacrylic resin gels and special additives in aqueous dispersion.

ERA sandy composition along with the correct application technique gives to the surface a 3D effect, making it suitable with any kind of architectural style, from classic to modern.

ERA can be applied on any internal surface, such as masonry, MDF, PVC, with the correct preparation.

ERA is supplied in SILVER and GOLD.







1 coat	10-12 m²/lt

Packag	ging	Minimum Quantity
D030/01G	GOLD 1 It	6 pieces
D030/04G	GOLD 4 lt	1 piece
D030/01S	SILVER 1 It	6 pieces
D030/04S	SILVER 4 It	1 piece







DECORATIVE METALLIC PAINT

DESCRIPTION

SPACE is a metallic paint with metallic power based on terpolyacrylic resin gels and special additives in aqueous dispersion.

Its eco-friendly formulation improves interior living comfort, granting energy saving throughout the year, in keeping with an aesthetic hint and a modern taste.

SPACE grants good water permeability and is supplied in SILVER and GOLD.







oat 0.65 - 0.75 kg/m²

Packa	iging	Minimum Quantity
D031/01G	GOLD 1 lt	6 pieces
D031/04G	GOLD 4 It	1 piece
D031/01S	SILVER 1 It	6 pieces
D031/04S	SILVER 4 It	1piece





DESCRIPTION

INFINITY is a decorative metallic paint that creates a highlighted luster and a velvet touch effect making it suitable with any kind of architectural style from classic to modern. INFINITY is a water based paint made from acrylic resins and special transparent additives.

INFINITY is particles along with the accurate application technique create a highlighted luster and a velvet touch effect, making INFINITY suitable with any kind of architectural style, from classic to modern.

INFINITY can be applied on any internal surface, such as masonry, MDF, PVC, following the correct preparation.

INFINITY is supplied 4 colors, WHITE, SILVER, GOLD and GREY.







Stainless steel trowel

10-12 m²/lt per coat

Packaging	Minimum Quantity
D032/01G GOLD 1 lt	6 pieces
D032/04G GOLD 4 lt	1 piece
D032/01GY GRAY 1 lt	6 pieces
D032/04GY GRAY 4 lt	1 piece
D032/01S SILVER 1 lt	6 pieces
D032/04S SILVER 4 It	1 piece
D032/01W WHITE 1 lt	6 pieces
D032/01W WHITE 4 It	1 piece







ACRILYC RENDER - 1,2mm

DESCRIPTION

ARROW is a water-born acrylic rustic render, medium grained (1,2mm), based on synthetic copolymers, selected colorant pigments and siliceous fillers.

ARROW is easy to apply, alkali and light resistant and with a good water permeability. The result of an elastic and hard render, suitable for outdoor application.

To tint ARROW, use oxide-based pigments (alkali resistant) colorant.







1.5 - 1.8 kg//m²

Packaging Minimum Quantity D025/25 25kg 1 piece





ONE PRIMER #D024



MULTI-SURFACE FIXATIVE EPOXY PRIMER FOR INTERIOR APPLICATION

DESCRIPTION

ONE PRIMER is a water-born 2-component epoxy-based primer, based on special epoxy-polyamide resins, suitable for multi-surface preliminary treatments.

ONE PRIMER is suitable for interior multiple surfaces, such as countertops, wall, marble, ceramic, wood, MDF. It improves cohesion and absorption of the support, creating the ideal anchor and insulation.

ONE PRIMER is the ideal primer for the DECORA FLOOR SYSTEM.







Brush, Roller or spray



Dilute with water



1 - 2 coats



120-150 gr/m2

Packaging Minimum Quantity

D024/05 5 kg 1 piece





DECORA FLOOR LEVEL #D023



CEMENT BASED RENDER

DESCRIPTION

DECORA FLOOR LEVEL is a 2-component filling render for indoor and outdoor application.

Based on resins, special additives and selected inserts, along with the True Cement mix, DECORA FLOOR LEVEL is the suitable prep-coat for the DECORA FLOOR SYSTEM.

Easy to apply, with outstanding mechanical resistance, DECORA FLOOR LEVEL prevents micro-cracks and levels tiled floors, walls and countertops.

DECORA FLOOR LEVEL can be used over concrete, marble, tiled surfaces (along with alkali-resistant mesh if needed).



mix mechanically



Stainless steel trowel



2 coats



 $0.7 - 0.9 \text{ kg/m}^2 \text{ per coat}$

Packaging

Minimum Quantity

D023/20 20 kg





DECORA DIAMOND FLOOR #D021



DECORATIVE MICRO- CEMENT SYSTEM FLOORS, WALLS, COUNTERTOPS & SHOWER AREAS

DESCRIPTION

DECORA DIAMOND FLOOR is a single-component decorative plaster based on modified PU resins in aqueous emulsion, controlled grain size aggregates, ideal for decorating and remodeling interior walls and floors, countertops.

DECORA DIAMOND FLOOR grants an outstanding mechanical resistance (even with low thickness), along with a good elasticity and extraordinary water resistance.

DECORA DIAMOND FLOOR is suitable with any architectural style, modern or minimal, classic or industrial, and can be applied on interior masonry, concrete and tiled surfaces, both on horizontal and vertical surfaces.









0.5 - 0.6 kg/m² per coat

Packaging	Minimum Quantity

D021/20 20 kg 1 piece

DECORA DIAMOND FLOOR FINE #D021/20F

DECORATIVE MICRO- CEMENT SYSTEM FLOORS, WALLS, COUNTERTOPS & SHOWER AREAS

DESCRIPTION

DECORA DIAMOND FLOOR is a single-component decorative plaster based on modified PU resins in aqueous emulsion, controlled grain size aggregates, ideal for decorating and remodeling interior walls and floors, countertops.

DECORA DIAMOND FLOOR grants an outstanding mechanical resistance (even with low thickness), along with a good elasticity and extraordinary water resistance.

DECORA DIAMOND FLOOR is suitable with any architectural style, modern or minimal, classic or industrial, and can be applied on interior masonry, concrete and tiled surfaces, both on horizontal and vertical surfaces.





Stainless steel trowel



2 coats



0.6 - 0.7 kg/m² per coat

Packaging

Minimum Quantity

D021/20F 20 kg

DECORA DIAMOND SEALER #D022



SEALER FOR FLOORS, WALLS, COUNTERTOPS & SHOWER AREAS

DESCRIPTION

DECORA DIAMOND SEALER 2-component protective coating System A+B protective Sealer for floors, walls and countertops. It has outstanding physical and mechanical features and excellent resistance to solvents and cleaning solutions for domestic and industrial use, mineral and vegetable oils, fuels.

DECORA DIAMOND SEALER is available in MATT and GLOSSY option.









2 coats

90 - 100 gr/m^2 per coat

Packaging Minimum Quantity

D022/05M MATT 5 kg

D022/05G GLOSSY 5 kg

1 piece









STILMIRROR ONE

#2107 - DAC

DESCRIPTION

Fork made of aluminium alloy. Mirror polished stainless steel trapezoidal blade with rounded corners and eased edges.













2.072 07.0	280x120 mm	380 gr
21071 - DAC	240x100 mm	360 gr
21070 - DAC	200x80 mm	340 gr



ELITE PRO

#2609 - DAC

DESCRIPTION

Rubber handle and aluminium alloy fork, trapezoidal rectified stainless steel blade mirror polished, mm. 0,6 thick...









∫ gr \

26091-DAC 280x140x6 mm

390 gr

26090-DAC 240x120X6 mm

380 gr



STILRABB

#2105 - DAC

DESCRIPTION

Aluminium alloy fork, ergonomic rubber handle. Steel blade with straight edges.











21056-DAC 280x120 mm	380 gr
21053-DAC 240x100 mm	360 gr
21052-DAC 200x80 mm	340 gr



SPATOLA

#65 - DAC

DESCRIPTION

High resistance extra flexible, gradual thickness stainless steel blade with sharp edges, mirror polished.

New ergonomic rubber handle.













65120-DAC 120 mm	_
65100-DAC 100 mm	_
65080-DAC 80 mm	_
65060-DAC 60 mm	



